


Fiber Endface Probe Tips Option Guide






Tips Option Guide for Fiber Endface Probe






Note : F = Female , M = Male , S= Super

Single fiber tips for connector and female bulkhead						
ID	Product Code	Tip Name	Tip Image	Suitable for	Description	Applicable Scenes
PI-001	130101900015	2.5-PC-M		AUTOGET AUTOGET WIFI EASYGET EASYGET WIFI	Universal 2.5mm/UPC tip for UPC fiber such as SC,FC , ST .	
PI-002	130101900016	1.25-PC-M		AUTOGET AUTOGET WIFI EASYGET EASYGET WIFI	Universal 1.25mm/UPC tip for UPC fiber such as LC,E2000 .	
PI-003	130101900017	SC-PC-F		AUTOGET AUTOGET WIFI EASYGET EASYGET WIFI	SC/UPC female bulkhead tip.	
PI-004	130101900026	FC-PC-F		AUTOGET AUTOGET WIFI EASYGET EASYGET WIFI	FC/UPC female bulkhead tip.	
PI-005	130101900018	LC-PC-F		AUTOGET AUTOGET WIFI EASYGET EASYGET WIFI	LC/UPC female bulkhead tip.	


Note : F = Female , M = Male , S= Super

ID	Product Code	Tip Name	Tip Image	Suitable for	Description	Applicable Scenes
PI-006	130101900053	ST-PC-F		AUTOGET AUTOGET WIFI EASYGET EASYGET WIFI	ST/UPC female bulkhead tip.	
PI-007	130101900055	MU-PC-F		AUTOGET AUTOGET WIFI EASYGET EASYGET WIFI	MU/UPC female bulkhead tip.	
PI-008	201910008	SC-PC-LF		AUTOGET AUTOGET WIFI EASYGET EASYGET WIFI	"SC/UPC female bulkhead tip. NOTE: Used in space-constrained place."	
PI-009	201910030	SC-PC-SLF		AUTOGET EASYGET EASYGET WIFI	"SC/UPC female bulkhead tip. NOTE: 1.Used in space-constrained place. 2.Optical module with pull ring."	
PI-010	201910009	LC-PC-LF		AUTOGET AUTOGET WIFI EASYGET EASYGET WIFI	"LC/UPC female bulkhead tip. NOTE: 1.Used in space-constrained place."	




Note : F = Female , M = Male , S= Super

ID	Product Code	Tip Name	Tip Image	Suitable for	Description	Applicable Scenes
PI-011	201910021	LC-PC-SF		AUTOGET EASYGET EASYGET WIFI	LC/UPC female bulkhead tip. NOTE: 1.Used in space-constrained place. 2.Optical module with pull ring.	
PI-012	201910028	MU-PC-SLF		AUTOGET EASYGET EASYGET WIFI	MU/UPC female bulkhead tip. NOTE: 1.Used in space-constrained place.	
PI-013	130101900020	2.5-APC-M		AUTOGET AUTOGET WIFI EASYGET EASYGET WIFI	Universal 2.5mm/APC tip for APC fiber such as SC,FC , ST .	
PI-014	130101900021	1.25-APC-M		AUTOGET AUTOGET WIFI EASYGET EASYGET WIFI	Universal 1.25mm/APC tip for APC fiber such as SC,FC , E2000 .	
PI-015	130101900022	SC-APC-F		AUTOGET AUTOGET WIFI EASYGET EASYGET WIFI	SC/APC female bulkhead tip.	







Note : F = Female , M = Male , S= Super

ID	Product Code	Tip Name	Tip Image	Suitable for	Description	Applicable Scenes
PI-016	130101900027	FC-APC-F		AUTOGET AUTOGET WIFI EASYGET EASYGET WIFI	FC/APC female bulkhead tip.	
PI-017	201910010	LC-APC-LF		AUTOGET AUTOGET WIFI EASYGET EASYGET WIFI	LC/APC female bulkhead tip.	
PI-018	130101900056	E2000-PC-M		AUTOGET AUTOGET WIFI EASYGET EASYGET WIFI	E2000/UPC connector tip.	
PI-019	130101900057	E2000-APC-M		AUTOGET AUTOGET WIFI EASYGET EASYGET WIFI	E2000/APC connector tip.	
PI-020	130101900058	E2000-PC-F		AUTOGET AUTOGET WIFI EASYGET EASYGET WIFI	E2000/UPC female bulkhead tip.	
PI-021	201910013	E2000-APC-F		AUTOGET AUTOGET WIFI EASYGET EASYGET WIFI	E2000/APC female bulkhead tip.	






Note : F = Female , M = Male , S= Super

Single fiber custom tips for connector and female bulkhead						
ID	Product Code	Tip Name	Tip Image	Suitable for	Description	Applicable Scenes
PI-022	201910022	CS-PC-F		AUTOGET EASYGET EASYGET WIFI	SC/APC female bulkhead tip.	
PI-023	130101900099	PSM4-PC-F		AUTOGET AUTOGET WIFI EASYGET EASYGET WIFI	PSM4 female bulkhead tip.	
PI-024	130101900084	SMA905-PC-M		AUTOGET AUTOGET WIFI EASYGET EASYGET WIFI	SMA905 connector tip.	
PI-025	130101900121	ODC-PC-M		AUTOGET AUTOGET WIFI EASYGET EASYGET WIFI	ODC connector tip.	
PI-026	130101900082	2.0-PC-M		AUTOGET AUTOGET WIFI EASYGET EASYGET WIFI	Universal 2.0mm/UPC tip.	

Note : F = Female , M = Male , S = Super , WP = Waterproof

ID	Product Code	Tip Name	Tip Image	Suitable for	Description	Applicable Scenes
PI-027	130101900135	1.6-PC-M		AUTOGET AUTOGET WIFI EASYGET EASYGET WIFI	Universal 1.6mm/ UPC tip.	
PI-028	130101900083	1.587-PC-M		AUTOGET AUTOGET WIFI EASYGET EASYGET WIFI	Universal 1.587mm/UPC tip.	
PI-029	201910011	SC-APC-WP		AUTOGET AUTOGET WIFI EASYGET EASYGET WIFI	SC/APC outdoor adapter tip.	
PI-030	201910029	SC60-PC-LF		AUTOGET EASYGET EASYGET WIFI	SC/UPC female bulkhead tip, 60°.	
PI-031	201910014	LC65-PC-LF		AUTOGET EASYGET EASYGET WIFI	LC/UPC female bulkhead tip, 65°.	
PI-032	201910027	MU60-PC-LF		AUTOGET EASYGET EASYGET WIFI	MU/UPC female bulkhead tip 60°.	

Note : F = Female , M = Male , S= Super

Multiple fiber tips for connector and female bulkhead						
ID	Product Code	Tip Name	Tip Image	Suitable for	Description	Applicable Scenes
PI-033	201910007	MTP-PC-F		AUTOGET EASYGET EASYGET WIFI	MTP/UPC and MPO/UPC female bulkhead tip.	
		MTP-APC-F		AUTOGET EASYGET EASYGET WIFI	MTP/APC and MPO/APC female bulkhead tip.	
PI-034	130101900088	MT-Tip		AUTOGET EASYGET EASYGET WIFI	Use with PI-033 to test MT ferrules (PC & APC).	
PI-035	201910026	MTP-Tip		AUTOGET EASYGET EASYGET WIFI	Use with PI- 033 to test MTP/MPO connector (PC & APC).	